

1050 Termination Bar

SECTION 04 00 00 MASONRY
Section 04 05 23 Masonry Accessories
Section 07 62 00 Sheet Metal Flashing and Trim

PART 1: GENERAL

1.1 RELATED SECTIONS

A. Provide shop drawings for all product locations.

1.2 SUBMITTALS

A. Manufacturer Certificate of Compliance for materials.

B. Product Data: Manufacturer's data sheet on each type of product furnished.

PART 2: MANUFACTURER

2.1 MANUFACTURER

Acceptable Manufacturer:
Heckmann Building Products
110 Richards Ave.
Norwalk, CT 06854-1685
800-621-4140
Email: info@heckmannanchors.com
Website: www.heckmannanchors.com

2.2 APPLICATIONS

A. Provide anchoring systems that comply with the Building Code Requirements for Masonry Structures TMS 402-16.

B. Stainless Steel AISI [Type 304] [or] [Type 316]

C. ASTM A240/A240M-15b Standard Specification for Chromium and Chromium-Nickel Stainless Steel Plate, Sheet, and Strip for Pressure Vessels and for General Application.

D. ASTM A666-15 Standard Specification for Annealed or Cold-Worked Austenitic Stainless Steel Sheet, Strip, Plate, and Flat Bar.

2.3 MATERIALS

NO. 1050 TERMINATION BAR

- A. Standards – All type 304 stainless steel with 5/16” holes 8” o.c.
 - TB818 – 1/8” x 1” wide x 8ft
 - TB810 – 1/8” x 1” wide x 10ft
 - TB81258 – 1/8” x 1-1/4” wide x 8ft
 - TB812510 – 1/8” x 1-1/4” wide x 10ft
 - TB61258 – 16 gage x 1-1/4” wide x 8ft
 - TB612510 – 16 gage x 1-1/4” x 10ft
- B. Specials
 - [thickness] x [width] x [length] x [hole diameter] x [hole spacing oc] x hole to start [inches] from end.
- C. Materials: [Stainless Steel]

PART 3: EXECUTION

- A. Install as specified in applicable Masonry/Sheet Metal Flashing section(s).