H ECKMAN Building Produc	N Submittal Sheet #1100 Ladder Type Wire Reinforcement
Ladder Wire Reinforcement in 10 ft lengths	
	Ladder Wire Reinforcement Corners
8"	
10"	CMU SizeStainlessHotdip4"1100C4S1100C4H
12"	6" 1100C4S 1100C4H
	8" 1100C8S 1100C8H
	10" 1100C10S 1100C10H
	12" 1100C12S 1100C12H
	Corners - Quantity in Pieces
	Ladder Wire Tees
	CMU Size Stainless Hotdip
	4" 1100T4S 1100T4H
	6" 1100T6S 1100T6H
	8" 1100T8S 1100T8H
	10" 1100T10S 1100T10H 12" 1100T12S 1100T12H
QUANTITY (ft):	12" 1100T12S 1100T12H Tees - Quantity in Pcs
THICKNESS:	MATERIAL TYPE:
	Type 304 Stainless Steel
Wire SizeSide RodsCross RodsStandard9 ga9 ga	Hot Dip Calvanized
Standard9 ga9 gaHeavy Duty3/16"9 ga	Hot-Dip Galvanized
Extra Heavy Duty 3/16" 3/16"	Mill Galvanized
	Plain Steel FOR MATERIAL SPECIFICATIONS
PROJECT DETAILS:	CONTACT INFO
LOCATION:	NAME:
PROJECT NAME:	COMPANY:
NOTES:	PHONE:
	E-MAIL:
Heckmann is not responsible for your choice of anchors and dimensions for your project. The choice of anchors and products should be decided by the architects or engineers knowledgeable with the project.	DATE:
anchors and products should be decided by the architects or engineers knowledgeable with the project. Once a custom order has been placed it cannot be canceled or returned. Any changes to the original order may require additional charges. Your signature is required for us to proceed. By signing this order, you agree that you have reviewed the details and specifications of the custom order and that said details and specifications are per your request. Further, by signing this order you are waiving any claim against or right of non-payment for products produced to the specifications of the order.	ACCEPTED BY:

www.heckmannanchors.com info@heckmannanchors.com

REVISED: 10/2022