

## #134 Channel Slot Corrugated Anchors

### SECTION 04 00 00 MASONRY Section 04 05 19.16 Masonry Anchors

#### **PART 1: GENERAL**

##### 1.1 RELATED SECTIONS

A. Provide shop drawings for all product locations.

##### 1.2 SUBMITTALS

A. Manufacturer Certificate of Compliance for materials.

B. Product Data: Manufacturer's data sheet on each type of product furnished.

#### **PART 2: MANUFACTURER**

##### 2.1 MANUFACTURER

Acceptable Manufacturer:  
Heckmann Building Products  
110 Richards Ave.  
Norwalk, CT 06854-1685  
800-621-4140  
Email: [info@heckmannanchors.com](mailto:info@heckmannanchors.com)  
Website: [www.heckmannanchors.com](http://www.heckmannanchors.com)

##### 2.2 APPLICATIONS

A. Provide anchoring systems that comply with the Building Code Requirements for Masonry Structures TMS 402-22.

B. Stainless Steel AISI [Type 304] [or] [Type 316]

C. ASTM A240/A240M-15b Standard Specification for Chromium and Chromium-Nickel Stainless Steel Plate, Sheet, and Strip for Pressure Vessels and for General Application.

D. ASTM A666-15 Standard Specification for Annealed or Cold-Worked Austenitic Stainless Steel Sheet, Strip, Plate, and Flat Bar.

##### 2.3 MATERIALS

For Use with backup walls containing #130 channel slots or #133 Continuous Long Channel Slots:

*Select the Following*

**134 CHANNEL SLOT CORRUGATED ANCHORS**

**[gage] x 1-1/4 inches wide x [length] from face of channel.**

**Materials: [Type 304 Stainless Steel] [Type 316 Stainless Steel]**

**PART 3: EXECUTION**

- A. Install as specified in applicable masonry section(s).