

#263 Double Pintle Wire Tie
SECTION 04 00 00 MASONRY
Section 04 05 19.16 Masonry Anchors
Section 04 21 13.13 Brick Veneer Masonry

PART 1: GENERAL

1.1 RELATED SECTIONS

A. Provide shop drawings for all product locations.

1.2 SUBMITTALS

A. Manufacturer Certificate of Compliance for materials.

B. Product Data: Manufacturer's data sheet on each type of product furnished.

PART 2: MANUFACTURER

2.1 MANUFACTURER

Heckmann Building Products
110 Richards Ave.
Norwalk, CT 06854-1685
800-621-4140
Email: info@heckmannanchors.com
Website: www.heckmannanchors.com

2.2 APPLICATIONS

- A. Provide anchoring systems that comply with TMS 402/602-22 Building Code Requirements and Specification for Masonry Structures 2022.
- B. ASTM A1008/A1008M-24 Sheet Metal Anchors and Ties (Plain Steel).
- C. ASTM A153/A153M-16a Standard Specification for Zinc Coating (Hot-Dip) on Iron and Steel Hardware.
- D. Stainless Steel AISI [Type 304] or [Type 316].
 - 1) ASTM A580/A580M-23 Standard Specification for Stainless Steel Wire.

2.3 MATERIALS

No. 263 DOUBLE PINTLE WIRE TIE

3/16 inch diameter x 2-1/4" wide x Length [3-1/4"] [4-1/4"] [5-1/4"]
Materials: [Hotdip Galvanized After Fabrication] [Type 304 Stainless Steel]

PART 3: EXECUTION

A. Install as specified in applicable masonry section(s).