

#267 Plastic Mesh Wall Tie

SECTION 04 00 00 MASONRY  
Section 04 05 19.16 Masonry Anchors

**PART 1: GENERAL**

1.1 RELATED SECTIONS

A. Provide shop drawings for all product locations.

1.2 SUBMITTALS

A. Manufacturer Certificate of Compliance for materials.

B. Product Data: Manufacturer's data sheet on each type of product furnished.

**PART 2: MANUFACTURER**

2.1 MANUFACTURER

Heckmann Building Products  
110 Richards Ave.  
Norwalk, CT 06854-1685  
800-621-4140  
Email: [info@heckmannanchors.com](mailto:info@heckmannanchors.com)  
Website: [www.heckmannanchors.com](http://www.heckmannanchors.com)

2.2 APPLICATIONS

A. Provide anchoring systems that comply with the Building Code Requirements for Masonry Structures TMS 402-22.

B. ASTM D4034 – 09(2017) Standard Test Method for Breaking Strength and Elongation of Textile Fabrics (Grab Test)

2.3 MATERIALS

**A. NO. 267 PLASTIC MESH WALL TIE**

1/4" x 1/4" monofilament polypropylene mesh for [Block size: [6"] [8"] [10"] [12"]

**PART 3: EXECUTION**

A. Install as specified in applicable masonry section(s).

B. Cut to desired length for placement between CMU to prevent grout from

falling through the core.