

#353 Joint Stabilizing Anchor

SECTION 04 00 00 MASONRY
Section 04 05 19.16 Masonry Anchors
Section 05 12 00 Structural Steel Framing

PART 1: GENERAL

1.1 RELATED SECTIONS

A. Provide shop drawings for all product locations.

1.2 SUBMITTALS

A. Manufacturer Certificate of Compliance for materials.

B. Product Data: Manufacturer's data sheet on each type of product furnished.

PART 2: MANUFACTURER

2.1 MANUFACTURER

Acceptable Manufacturer:
Heckmann Building Products
110 Richards Ave.
Norwalk, CT 06854-1685
800-621-4140
Email: info@heckmannanchors.com
Website: www.heckmannanchors.com

2.2 APPLICATIONS

A. Provide anchoring systems that comply with the Building Code Requirements for Masonry Structures TMS 402-16.

B. Stainless Steel AISI [Type 304] [or] [Type 316]

C. ASTM A240/A240M-15b Standard Specification for Chromium and Chromium-Nickel Stainless Steel Plate, Sheet, and Strip for Pressure Vessels and for General Application.

D. ASTM A666-15 Standard Specification for Annealed or Cold-Worked Austenitic Stainless Steel Sheet, Strip, Plate, and Flat Bar.

E. ASTM A653/A653M-11 Standard Specification for Steel Sheet, Zinc-Coated

(Mill Galvanized)

2.3 MATERIALS

NO. 353 JOINT STABILIZING ANCHOR

22 gage x 1-1/2" wide x 10"long

Materials: [Mill Galvanized] [Mill Galvanized and Plastic] [Stainless Steel]
[Stainless Steel and Plastic]

PART 3: EXECUTION

A. Install as specified in applicable masonry section(s).