

#374 Hairpin Rebar Positioner

SECTION 04 00 00 MASONRY  
Section 04 05 19.26 Masonry Reinforcing Bars  
Section 04 05 19.16 Masonry Anchors

**PART 1: GENERAL**

1.1 RELATED SECTIONS

A. Provide shop drawings for all product locations.

1.2 SUBMITTALS

A. Manufacturer Certificate of Compliance for materials.

B. Product Data: Manufacturer's data sheet on each type of product furnished.

**PART 2: MANUFACTURER**

2.1 MANUFACTURER

Acceptable Manufacturer:  
Heckmann Building Products  
110 Richards Ave.  
Norwalk, CT 06854-1685  
800-621-4140  
Email: [info@heckmannanchors.com](mailto:info@heckmannanchors.com)  
Website: [www.heckmannanchors.com](http://www.heckmannanchors.com)

2.2 APPLICATIONS

A. Provide anchoring systems that comply with the Building Code Requirements for Masonry Structures TMS 402-16.

B. Grade 50 spring steel

C. Zinc Plated to ASTM b-633 SC1

2.3 MATERIALS

**NO. 374 HAIRPIN REBAR POSITIONER**

[374-SG: 9 gage for #3, #4, and #5 rebar]

[374-LG: 6 gage for #5 and #6 rebar]

Materials: [Grade 50 Spring Steel STM b-633 SC1]

### **PART 3: EXECUTION**

A. Install as specified in applicable masonry section(s).